

GANIT[®]

Glow Happiness



GLOW HAPPINESS

CERTIFICATIONS

IS: 10322/5/5



Flood Light
R-82000299

IS: 15885/213



Driver
R-82000124

IS: 10322/5/3



Street Light
R-82000280

IS: 10322/5/2



Panel Light
R-82000370

An ISO 9001:2015 & 14001:2015 Certified Company




**M.P. Grah Nirman and
Adhosanrachna Vikas Mandal**



U.P. PWD



**M.P. Poorv Kshetra
Vidyut Vitran Co. Ltd.**



C.G. PWD



AA Certificate




NISE

OUR CLIENTS



& Many More



COB LIGHT	04
DOWN LIGHT	06
PANEL LIGHT	06
RIMLESS PANEL	07
JUNCTION LIGHT	08
TRACK LIGHT	09
PROFILE LIGHT	10
SMPS	12
WALL LIGHT	13
BOLLARD LIGHT	16
SPIKE & FOOT LIGHT	16
FLOOD LIGHT	17
STREET LIGHT	18
INDUSTRIAL LIGHT	19

COB LIGHT

PRO-SERIES



Model	GTC-102		
Wattage	7W	12W	24W
Over all Dia (mm)	90	108	138
Cut out Dia (mm)	70	90	120
Height	38	42	48
Beam Angle	20°	20°	20°
Body Finish	White		

Model	GTC-107		
Wattage	12W	18W	27W
Over all Dia (mm)	84	105	130
Cut out Dia (mm)	85	97	120
Height	90	93	108
Beam Angle	24°	24°	24°
Body Finish	White		



Model	GTC-103		
Wattage	9W	16W	24W
Over all Dia (mm)	100	120	150
Cut out Dia (mm)	80	100	130
Height	85	120	125
Beam Angle	15°/38°	15°/38°	15°/38°
Body Finish	White		

Model	GTC-108	
Wattage	6W	12W
Over all Dia (mm)	58	70
Cut out Dia (mm)	50	65
Height	73	83
Beam Angle	24°	24°
Body Finish	White/ Black	



Model	GTC-104	
Wattage	6W	12W
Over all Dia (mm)	72	100
Cut out Dia (mm)	63	85
Height	68	80
Beam Angle	45°	45°
Body Finish	White	

Model	GTC-109	
Wattage	12W	
Over all Dia (mm)	84	
Cut out Dia (mm)	72	
Height	90	
Beam Angle	24°	
Body Finish	White/ Black	



Model	GTC-105 (Rd & SQ)	
Wattage	12W	
Over all Dia (mm)	82	
Cut out Dia (mm)	75	
Height	95	
Beam Angle	24°	
Body Finish	White	



Model	GTC-110 (Rd & SQ)		
Wattage	12W	18W	24W
Over all Dia (mm)	83	105	130
Cut out Dia (mm)	75	95	120
Height	75	90	90
Beam Angle	60°		
Body Finish	White		



Model	GTC-106	
Wattage	5W	9W
Over all Dia (mm)	40	60
Cut out Dia (mm)	37	50
Height	59	83
Beam Angle	45°	24°
Body Finish	White/ Black	

Model	GTC-101									
Wattage	3W	6W	9W	16W	24W	30W	36W	50W		
Over all Dia	70	90	90	110	140	140	140	180		
Cut out Dia	55	65	65	90	120	120	150	180		
Height (mm)	50	60	85	115	100	125	140	145		
Beam Angle	60°									
Body Finish	White									

Available in Color



COB LIGHT

PRO-SERIES



Model	GTC-111 (Zoomlight)		
Wattage	7W	16W	30W
Over all Dia (mm)	84	112	140
Cut out Dia (mm)	75	100	120
Height	65	90	110
Beam Angle	24°		
Body Finish	White		

Model	GTC-113		
Wattage	6W*1	6W*2	6W*3
Over all Dim (mm)	93x93	93x186	93x270
Cut out Dim (mm)	70x75	70x155	70x230
Height	45		
Beam Angle	60°		
Body Finish	White/Black		



Model	GTC-112				
Wattage	10W	15W	20W	25W	30W
Over all Dia	84x75	115x95	140x120	160x140	195x170
Cut out Dia	62.5	75	100	125	150
Beam Angle	45°				
Body Finish	White				

IP-65 OPTION AVAILABLE


Model	GTC-114		
Wattage	7W	15W	25W
Over all Dia	90	108	138
Cutout	75	95	120
Height	78	100	110
Beam Angle	30°		

Reflector option    



Model	GTL-101					
Wattage	3W*1	3W*2	3W*3	3W*5	3W*10	3W*15
Over all Dia (mm) LxWxH	45x45x50	45x75x50	45x105x50	45x145x50	45x280x50	45x415x50
Cut out Dia (mm) LxW	38x38	35x68	35x95	35x136	35x270	35x403
Beam Angle	15°					
Body Finish	White/Black					

WITH FULHAM DRIVERS.



Model	GTL-201			
Wattage	10W	15W	20W	25W
Over all Dia (mm) LxWxH	57x95x40	59x135x40	59x59x40	59x211x60
Cut out Dia (mm) LxW	45x85	45x135	85x85	45x195
Beam Angle	15°			
Body Finish	White			

WITH FULHAM DRIVERS.



COB LIGHT

SURFACE



Model	GTSC-101			
Wattage	6W	12W	9W	18W
Over all Dia (mm) LxWxH	55x55x80	55x110x80	55x55x110	55x110x120
Beam Angle	45°			
Body Finish	White/ Black			

Reflector option     

Model	GTSC-102			
Wattage	7W	9W	15W	18W
Over all Dia (mm)	60	60	76	76
Height	115	290	115	290
Beam Angle	45°			
Body Finish	White/ Black			

Reflector option     



DOWN LIGHT

VOGUE SERIES

Available in Color



Model

Deep Down Light

Wattage	12W	18W	24W
Over all Dim (mm)	110x110 / ø120	145x145 / ø155	170x170 / ø174
Cut out Dim (mm)	100x100 / ø110	135x135 / ø145	160x160 / ø165

Model

Down Light

Wattage	6W	12W	15W	22W	28W
Over all Dim (mm)	100	120	145	170	225
Cut out Dim (mm)	70-80	90-100	115-125	140-150	190-200

6, 15, 22W in Tricolour Available

PANEL LIGHT

VOGUE SERIES

Available in Color



Model

Slim Panel

Wattage	3W	6W	12W	18W
Over all Dim (mm)	85	120	174	200
Cut out Dim (mm)	75	110	160	180

6, 12W in Tricolour available

Model

Slim Surface Panel

Wattage	3W	6W	12W	18W
Over all Dim (mm)	87	120	170	195
Height (mm)	38	38	38.5	38

6, 12W in Tricolour available

Model

Ultra Slim Panel

Wattage	8W	15W	22W
Over all Dim (mm)	90	145	175
Cut out Dim (mm)	75	124	154

Model

Ultra Surface

Wattage	9W	15W	22W
Over all Dim (mm)	90	150	177
Height (mm)	35	35	35

RIMLESS PANEL

Model

	6W	9W	12W	18W	24W
Wattage	6W	9W	12W	18W	24W
Type	Rimless	Rimless	Rimless	Rimless	Rimless
Over all Dim (mm)	90	90	120	150	170
Cut out Dim (mm)	75	75	105	120	155

Rimless Panel

Model

	12W	18W	24W
Wattage	12W	18W	24W
Type	Adjustable Panel	Adjustable Panel	Adjustable Panel
Over all Dim (mm)	120	150	170
Maxi. Cut out Dim (mm)	105	135	155
Min. Cut out Dim (mm)	40	40	40

Flexi Panel

Model

	3+3W	6+3W	12+4W
Wattage	3+3W	6+3W	12+4W
Type	Dual Color	Dual Color	Dual Color
Over all Dim (mm)	90	120	170
Cut out Dim (mm)	75	105	155
Inner Circle	3W	6W	12W
Outer Circle	3W	3W	4W

Rimless Duo Panel

Available in Color



Customized Colour Option



CONCEALED/DEEP JUNCTION PANEL

Model

Wattage
Type
Over all Dia (mm)
Cut out Dia (mm)
Body Finish

Bullet

7W
Junction Box (3")
ø110
68
White

Available in Color



Model

Wattage
Type
Over all Dia (mm)
Cut out Dia (mm)
Body Finish

Shine

9W
Junction Box (3")
ø110
75
White

Available in Color



Model

Wattage
Type
Over all Dia (mm)
Cut out Dia (mm)
Body Finish

Legend

7W+7W
Junction Box (3")
ø110
75
White

Available in Color



Model

Wattage
Type
Over all Dia (mm)
Cut out Dia (mm)
Body Finish

Agni

3W
Deep Junction Box (2")
ø75
45
White

Available in Color





Model

Wattage
Type
Over all Dia (mm)
Cut out Dia (mm)
Body Finish

Agni-Plus

6W	15W
Deep Junction Box (2")	Deep Junction Box (2")
ø75	ø140
45	45
White	White

Available in Color



TRACK LIGHT PRO-SERIES

Model TL-301
Wattage 30W
Body finish White/Black
Beam Angle 24°/36°

Model TL-202
Wattage 25W
Body finish White/Black
Beam Angle 24°/36°

Model TL-302
Wattage 30W
Body finish White/Black
Beam Angle 24°/36°

Model WTL-101 (Surface Track Light)
Wattage 9W & 16W
Body finish White/Black
Beam Angle 24°/36°


Model TL-303
Wattage 20W/30W
Body finish White/Black
Beam Angle 24°/36°

Model TL-304
Wattage 30W
Body finish White/Black
Beam Angle 24°/36°

Model TL-305
Wattage 30W
Body finish White/Black
Beam Angle 24°/36°

Model TL-306
Wattage 20W/30W
Body finish White/Black
Beam Angle 24°/36°

Model TL-307
Wattage 30W
Body finish White/Black
Beam Angle 24°/36°




PROFILE LIGHT

CONCEALED PROFILE


Model GTPL/C-2507 (Regular)

Dimension (mm) 25.7x7
Cut out size (Inch) 0.76 - 0.93
Length 3 meter




Model GTPL/C-3926

Dimension (mm) 39.6x26
Cut out size (Inch) 1.04 - 1.504
Length 3 meter




Model GTPL/C-3711

Dimension (mm) 37.4x11.7
Cut out size (Inch) 1.18 - 1.40
Length 3 meter




Model GTPL/C-2415

Dimension (mm) 24.2x14.3
Cut out size (Inch) 0.672 - 0.888
Length 3 meter




Model GTPL/C-1106 (Pencil)

Dimension (mm) 11.2x6
Cut out size (Inch) 0.304 - 0.368
Length 3 meter



Model GTPL/C-2307 (Regular)

Dimension (mm) 23.6x7
Dimension (Inch) 0.7



Model GTPL/C-4220 (Hi-depth)

Dimension (mm) 42.7x20
Cut out size (Inch) 1.184 - 1.624
Length 3 meter




Model GTPL/C-9235 (3")

Dimension (mm) 91.4x35
Cut out size (Inch) 2.16 - 3.76
Length 3 meter




Model GTPL/C-11735 (4")

Dimension (mm) 117x35
Cut out size (Inch) 3.196 - 4.6
Length 3 meter



Model GTPL/C-1106 (Black)

Dimension (mm) 11.2x6
Cut out size (Inch) 0.304 - 0.368
Length Black Series 3 meter




Model GTPL/C-7032 (2")

Dimension (mm) 70x32
Cut out size (Inch) 1.48 - 2.72
Length 3 meter



Model GTPL/C-2415 (Black)

Dimension (mm) 24.2x14.33
Cut out size (Inch) 0.672 - 0.888
Length Black Series 3 meter




Model GTPL/C-2407 (Black)

Dimension (mm) 239x7
Cut out size (Inch) 0.76 - 0.93
Length 3 meter




Model GTPL/S-5035

Dimension (mm) 35x35
Cut out size (Inch) 1.4



Model GTPL/C-3009

Dimension (mm) 30x9.6
Cut out size (Inch) 0.938 - 1.12
Length 3 meter



PROFILE LIGHT

CORNER PROFILE

Model

GTPL/CR-1515

Dimension(mm)
Length

15.5X15.5
3 meter



Model

GTPL/FS-1818

Dimension(mm)
Length

18X18
3 meter




SURFACE PROFILE

Model GTPL/S-1607 (Regular)

Dimension(mm)
Dimension(Inch)
Length 3 meter


16.8x6.6
0.672



Model GTPL/S-2407 (Regular)

Dimension(mm)
Dimension(Inch)
Length 3 meter

23.5x9.6
0.94



Model

GTPL/S-3010

Dimension(mm)
Dimension(Inch)
Length 3 meter

30x10
1.2




Model

GTPL/S-1407

Dimension(mm)
Dimension(Inch)


35x35
1.4



Model GTPL/S-0809 (Pencil)

Dimension(mm)
Dimension(Inch)
Length

7.8x9
0.312
3 meter



Model

GTPL/S-5532 (2")

Dimension(mm)
Dimension(Inch)
Length


55x32
1.04
3 meter



Model GTPL/S-3020 (Hi Depth)

Dimension(mm)
Dimension(Inch)
Length

30x20
1.2
3 meter




Model

GTPL/S-1715

Dimension(mm)
Dimension(Inch)
Length

16.8x14.3
0.672
3 meter




Model

GTP/S-2626

Dimension(mm)
Dimension(Inch)
Length

26x26
1.04
3 meter




Model

GTPL/S-7632 (3")

Dimension(mm)
Dimension(Inch)
Length

76x32
1.2
3 meter




FLEXIBLE PROFILE

Model

GTPL/FS-1805

Dimension MM
Dimension (Inch)

4.4x18
0.72



Model

GTPL-8016

Dimension MM
Dimension (Inch)

80X16
3.2



SKIRTING PROFILE


PROFILE LIGHT

HANGING PROFILE

Model GTPL/H-7676

Dimension(mm)
Length

76x76
3 meter



Model GTPL/H-30

Dimension(mm)
Length

ø30
3 meter



Model GTPL/H-5070

Dimension(mm)
Length

50x70
3 meter



Model GTPL/H-60

Dimension(mm)
Length

ø60
3 meter



CUSTOMIZE HANGING PROFILE

Model GTPL/CC-4530

Variant -

Profile + Diffuser (per meter)

Dimension(mm)

45x30

Cut out size(mm)

32.2x30

Length

3 meter

Option Available

5 LED Set

Model GTPL/CH-3270

Variant -

Profile + Diffuser
(per meter)

Dimension(mm)

32.5x70

Length

3 meter

Option Available

5 LED Set



FURNITURE PROFILE

Model GTPL/F-1308

Dimension(mm)


11.2x6

Cut out size(mm)

7.6x6

Length

3 meter



Model GTPL/F-4213

Dimension(mm)

37.4x11.7

Cut out size(mm)

30x11.7

Length

3 meter



Model GTPL/F-2208

Dimension(mm)

7.8x9

Length

3 meter



Model GTPL/F-5013

Dimension(mm)

30x10

Length

3 meter



SMPS

Model	DS-5025	DS-5036	DS-5060	DS-5100	DS-5120	DS-5150
Wattage	24W	36W	60W	100W	120W	150W
Voltage Current	12V 2A	12V 3A	12V 5A	12V 8.3A	12V 10A	12V 12.5A
Input Voltage	100-265V	100-265V	100-265V	100-265V	100-265V	180-265V
Over all Dia (mm)	135x35x24	135x35x24	172x34x23	145x49x29	145x49x29	195x49x29

WALL LIGHT



Model 201
Watt 2W
LxWxH (mm) 110x110x42
Beam Angle 45°
Body Finish White/Grey



Model 202
Watt 4W
LxWxH (mm) 110x110x42
Beam Angle 45°
Body Finish White/Grey



Model 203
Watt 2W
LxWxH (mm) 80x38x70
Beam Angle 45°
Body Finish Grey/Sand White



Model 204
Watt 4W
LxWxH (mm) 115x38x78
Beam Angle 45°
Body Finish Grey/Sand White




Model 205
Watt 6W
LxWxH (mm) 168x45x78
Beam Angle 45°
Body Finish Grey/Sand White



Model 206
Watt 3W
LxWxH (mm) 75x80x63
Beam Angle 90°
Body Finish Black/Grey



Model 207
Watt 6W
LxWxH (mm) 142x80x63
Beam Angle 90°
Body Finish Black/Grey



Model 208
Watt 5W
LxWxH (mm) 68x80x100
Beam Angle 38°
Body Finish Grey/Sand/Black



Model 209
Watt 10W
LxWxH (mm) 68x80x160
Beam Angle 38°
Body Finish Grey / Black



Model 210
Watt 8W
LxWxH (mm) 40x67.5x188
Beam Angle 60°
Body Finish Grey/Sand Black



Model 211
Watt 10W
LxWxH (mm) 108x108x80
Beam Angle 120°
Body Finish Grey



Model 212
Watt 7W
LxWxH (mm) 80x38x70
Beam Angle 45°
Body Finish Grey



Model 213
Watt 7W
LxWxH (mm) 80x38x70
Beam Angle 45°



Model 214
Watt 7W
LxWxH (mm) 80x38x70
Beam Angle 45°
Body Finish Grey




Model 215
Watt 10W
LxWxH (mm) 170x78x170
Beam Angle 120°
Body Finish Grey



Model 216
Watt 6W
LxWxH (mm) 170x100
Beam Angle 120°
Body Finish Grey / Black



Model GT-217
Watt 6W
LxWxH (mm) 160x160x100
Beam Angle 120°
Body Finish Grey / Black



Model 218
Watt 12W
LxWxH (mm) 96x105x131
Beam Angle 120°
Body Finish Grey



Model 219
Watt 12W
LxWxH (mm) 105x105x131
Beam Angle 120°
Body Finish Grey



Model 220
Watt 6W
LxWxH (mm) 160x100
Beam Angle 120°
Body Finish Grey



Model 221
Watt 6W
LxWxH (mm) 160x160x100
Beam Angle 120°
Body Finish Grey

Light Colour - Warm White only

WALL LIGHT



Model GT-101
Watt 5W
LxWxH (mm) 150x60x100
Beam Angle 180°
Body Finish White/Grey/Black

Model GT-102
Watt 10W
LxWxH (mm) 250x60x100
Beam Angle 180°
Body Finish White/Grey/Black

Model GT-103
Watt 5W
LxWxH (mm) 150x100x100
Beam Angle 180°
Body Finish White/Grey/Black

Model GT-104
Watt 10W
LxWxH (mm) 250x100x100
Beam Angle 180°
Body Finish White/Grey/Black

Model GT-105
Watt 2W
LxWxH (mm) 100x100x36
Beam Angle 90°
Body Finish White/Grey/Black

Model GT-106
Watt 3+3W
LxWxH (mm) 100x85x35
Beam Angle 135°
Body Finish White/Grey/Black

Model GT-107
Watt 5+5W
LxWxH (mm) 110x110x42
Beam Angle 135°
Body Finish White/Grey/Black

Model GT-108
Watt 3+3W
LxWxH (mm) 136x74x74
Beam Angle 25°UP/ 60°DN
Body Finish White/Grey/Black

Model GT-109
Watt 3+3W
LxWxH (mm) 160x100x84
Beam Angle 80°
Body Finish White/Grey/Black

Model GT-110
Watt 3W
LxWxH (mm) 100x80x40
Beam Angle 120°
Body Finish White/Grey/Black

Model GT-111
Watt 5W
LxWxH (mm) 160x100x50
Beam Angle 150°
Body Finish White/Grey/Black

Model GT-112
Watt 5W
LxWxH (mm) 120x120x65
Body Finish White/Grey/Black

Model GT-114
Watt 3+3W
LxWxH (mm) 169x45x54
Beam Angle 15°
Body Finish White/Grey/Black

Model GT-116
Watt 4*1W
LxWxH (mm) 90x90x42
Beam Angle 30°
Body Finish White/Grey/Black

Light Colour - Warm White, Natural White and White only

WALL LIGHT

Model GT-117
Watt 1W/ 3W
Beam Angle 80°
LxWxH (mm) 102x92x76
Body Finish White/Grey/Black

Model GT-118
Watt 3+3W
Beam Angle 45°
LxWxH (mm) 135x90x53
Body Finish White/Grey/Black

Model GT-119
Watt 1+1W
LxWxH (mm) 91x80x40
Beam Angle 60°
Body Finish White/Grey/Black

Model GT-122
Watt 3+3W
LxWxH (mm) 100x100x100
Beam Angle 15°UP/45°DN
Body Finish White/Grey/Black

Model GT-123
Watt 5W
LxWxH (mm) 190x190x73
Beam Angle 180°
Body Finish White/Grey/Black

Model GT-124
Watt 3W/9W
LxWxH (mm) 130x90x90
Beam Angle 5°
Body Finish White/Grey/Black

Model GT-125
Watt 3W
LxWxH (mm) 90x68x65
Beam Angle 45°
Body Finish White/Grey/Black


Model GT-126
Watt 3+3W
LxWxH (mm) 90x68x76
Beam Angle 45°
Body Finish White/Grey/Black

Model GT-127
Watt 12W
LxWxH (mm) 110x110x90
Beam Angle 60°
Body Finish White/Grey/Black

Model GT-130
Watt 12W
LxWxH (mm) 200x200x30
Beam Angle 360°
Body Finish White/Grey/Black

Model GT-131
Watt 18W
LxWxH (mm) 250x250x40
Beam Angle 360°
Body Finish White/Grey/Black

Light Colour - Warm White, Natural White and White only



BOLLARD LIGHT

Model

GTB-101 (1F&2F)

Watt	7W
LxWxH (mm)	160x200, 160x600
Beam Angle	120°
Body Finish	Grey

Model

GTB-103 (1F&2F)

Watt	7W
LxWxH (mm)	150x200, 150x600
Beam Angle	120°
Body Finish	Grey

Model

GTB-102 (1F&2F)

Watt	7W
LxWxH (mm)	160x200, 160x600
Beam Angle	120°
Body Finish	Grey

Model

GTB-104 (1F&2F)

Watt	7W
LxWxH (mm)	150x200, 150x600
Beam Angle	120°
Body Finish	Grey

Light Colour - Warm White only

SPIKE & FOOT LIGHT

Model

S-102 & S-104

Watt	3W & 5W
LxWxH (mm)	70x105, 75x90
Color	W-White / Green

Model

S-10012

Watt	3W
LxWxH (mm)	85x85x50
Color	W-White



FLOOD LIGHT

Model

Wattage	10W	20W	30W	50W	70W	100W	150W	200W	300W	400W
Standard Pac.	50	20	20	15	10	10	6	5	2	2

Slimline Series

Available in Color 

Model

Wattage	30W	50W	100W	150W	200W
Standard Pac.	20	15	10	6	4

Starline Lens

Available in Color 

Model

Wattage	50W	100W	150W	200W
Standard Pack	15	10	6	4

Square Series

Available in Color 

Model

Wattage	20W	30W	50W	100W
Standard Pack	20	20	15	10

RGB-PRO

16 COLORS CHANGING



Model

Wattage	10W	20W	30W	50W	100W
Standard Pack	50	20	20	15	10

RGB-ECO

16 COLORS CHANGING



Model

Wattage	50W	70W	100W	150W	200W
Standard Pack	10	10	10	5	4

NEO

Available in Color 

STREET LIGHT

Model

Wattage	12W	20W	24W	30W	36W	48W	60W	72W	90W	120W	150W
Standard Pac.	30	30	20	20	20	10	10	10	6	6	4
Beam Angle	120°	Body									
Finish : Grey											

Available in Color



Model

Jetline

Wattage	28W	56W	84W
Standard Pac.	33	20	6
Beam Angle	120°		
Body Finish : Grey			

Model

Spaceline

Wattage	50W	100W	150W
Standard Pac.	12	6	3
Beam Angle	120°		
Body Finish : Grey			

Model

Pluto Series

Wattage	20W	30W	50W	100W
Standard Pac.	12	6	3	10
Body Finish :	Grey			

Model

Eco

Wattage	30W	50W
Standard Pac.	30	20
Body Finish :	Grey	

Model

Skyline Plus

Wattage	36W	72W
Body Finish :	Grey	



OPTION AVAILABLE

INDUSTRIAL LIGHT

Model	Hibay (Regular)		
Wattage	120W	180W	240W
Standard Pack	2	1	1
Beam Angle	60°/120°		

Model	Hibay (New)	
Wattage	70W	90W
Standard Pack	5	5
Beam Angle	120°	

Available in Color



Model WELL GLASS

Wattage	40W
Lumen	4000
IP Rating	IP 66
Standard Pack	10

SOLAR STREET LIGHT

Model Semi Integrated Solar Street Lights

Wattage	12W	15W	18W	24W	30W
Solar Panel	12V-40WP	12V-40WP	12V-50WP	12V-50WP	12V-50WP
Lithium PO4 Battery	12.8V-12Ah	12.8V-12Ah	12.8V-12-18Ah	12.8V-18Ah	12.8V-18Ah
Back up	12Hrs	12Hrs	12Hrs	12Hrs	12Hrs



Model Semi Integrated Solar Street Lights (Govt.)


Wattage	Solar Panel	Lithium PO4 Battery	Autonomy
12w	12V-75W	12.8V-30Ah	3 Days

**MPPT BASED
CHARGE CONTROLLER**

Solar Net metering (Residential Commercial)



OUR PRESENCE



GANIT

Glow Happiness

Manufactured by:

Ganit Star Engineering

W: www.ganitstar.com

E: sales@ganitstar.com

